UL'S EXPEDITED COMPLIANCE SERVICES APPAREL



APPAI	REL (1 COLOR / 1SIZE			
Test Description	Method / Citation	Package Price USA	Package Price Asia	
Tier 1 - Regulatory - All		\$150	\$90	
Flammability General Wearing Apparel	16 CFR 1610			
Flammability - Vinyl	16 CFR 1611			
Labeling:				
Care Labeling	16 CFR 423, ASTM D 3136, ASTM D 5489			
Country of Origin	16 CFR 300, 16 CFR 303,19 CFR 134			
Manufacturer's Identification	16 CFR 300, 16 CFR 303			
Real Fur / Faux Fur	16 CFR 301, 16 CFR 303			
Fiber Content	16 CFR 300, 16 CFR 303			
Fiber Content Analysis	AAATCC 20 / 20A			
Labeled Claims	Verification			
Regulatory - Children's (Includes all requirements above)		\$275	\$165	
Flammability - Children's Sleepwear	16 CFR 1615 / 1616			
Tracking Label	CPSIA Sec.103			
Small Parts	16 CFR 1501			
Sharp Points / Sharp Edges	16 CFR 1500.48 & 49			
Total Lead in Substrates	CPSIA Sec.101			
Total Lead in Surface Coatings	16 CFR 1303			
Total Phthalates (if applicable)	16 CFR 1199			
Tier 2 - Quality & Performance (Includes regulatory require-		\$300 - Adult, \$550 -	\$180 - Adult, \$330 - Chil-	
ments)		Children's	dren's	
Fabric Qualities/Evenness of Color	ASTM D 3990 / Visual Evaluation			
Construction and Workmanship/Evenness of Color	Visual Evaluation			
Fabric Weight	ASTM D3776			
Unit Weight - Sweater Knits	ASTM D3776			
Thread Count - Wovens	ASTM D3775			
Thread Count - Sweater Knits	ASTM D3887			
Colorfastness to Home Laundering (machine wash or hand wash)	AATCC 135/150			
Colorfastness to Dry Cleaning or Leather Cleaning (if applica- ble)	AATCC R-003			
Colorfastness to Bleach (if applicable)	AATCC TS-001			
Colorfastness to Crocking	AATCC 8, AATCC 116 (prints)			
Colorfastness to Water (if applicable)	AATCC 107			
Colorfastness to Sea Water (if applicable)	AATCC 106			
Colorfastness to Perspiration (if applicable)	AATCC 15			
Colorfastness to Light (if applicable)	AATCC 16			
Colorfastness to Chlorinated pool water (if applicable)	AATCC 162			
Dimensional Stability	AATCC 135/150			
Dimensional Stability - Growth	AATCC 135/150			
,	AATCC 179			
Skewness Change After Wash Fabric/Garment Appearance Retention and Dura- bility	Visual Evaluation			
Seam Strength on woven fabrics	ASTM D1683			
Tensile Strength - woven fabrics	ASTM D1005 ASTM D5034 (grab)			
Tear Strength - woven fabrics	ASTM D5034 (grab) ASTM D1424			
Bursting Strength - knit fabrics	ASTM D1424			
שמוסנווה סנוכווצנוו - אווג ומטווכס				

UL'S EXPEDITED COMPLIANCE SERVICES ACCESSORIES



ACCESSORIES - HATS, GLO	OVES, SCARVES, BELT	S (1 SIZE / 1	COLOR)
Test Description	Method / Citation	Package Price USA	Package Price Asia
Tier 1 - Regulatory - All		\$150	\$90
Flammability General Wearing Apparel (If applicable)	16 CFR 1610	\$150	490
Flammability - Vinyl (if applicable)	16 CFR 1611		
Labeling:			
Care Labeling	16 CFR 423, ASTM D 3136, ASTM D 5489		
Country of Origin	16 CFR 300, 16 CFR 303, 19 CFR 134		
Manufacturer's Identification	16 CFR 300, 16 CFR 303		
Real Fur / Faux Fur	16 CFR 301, 16 CFR 303		
Fiber Content	16 CFR 301, 16 CFR 303		
Fiber Content Analysis	AAATCC 20 / 20A		
Labeled Claims	Verification		
Regulatory - Children's (Includes all requirements above)	Vermedilon	\$225	\$135
Tracking Label	CPSIA Sec.103	4225	4155
Small Parts	16 CFR 1501		
Sharp Points / Sharp Edges	16 CFR 1500.48 & 49		
Total Lead in Substrates	CPSIA Sec. 101, 16 CFR 1500.87, 16 CFR		
	1500.91		
Total Lead in Surface Coatings	16 CFR 1303		
Total Phthalates (if applicable)	CPSIA Sec. 108, 16 CFR 1199		
Tier 2 - Quality & Performance (Includes regulatory require- ments)		\$300 - Adult, \$450 Children's	\$180 - Adult, \$270 Chil- dren's
Fabric Qualities/Evenness of Color	ASTM D 3990 / Visual Evaluation		
Construction and Workmanship/Evenness of Color	Visual Evaluation		
Fabric Weight	ASTM D3776		
Unit Weight - Sweater Knits	ASTM D3776		
Colorfastness to Home Laundering (machine wash or hand	AATCC 135/150		
wash) Colorfastness to Dry Cleaning or Leather Cleaning (if applica-	AATCC R-003		
ble)			
Colorfastness to Bleach (if applicable)	AATCC TS-001		
Colorfastness to Crocking	AATCC 8, AATCC 116 (prints)		
Colorfastness to Water (if applicable)	AATCC 107		
Colorfastness to Sea Water (if applicable)	AATCC 106		
Colorfastness to Perspiration (if applicable)	AATCC 15		
Colorfastness to Light (if applicable)	AATCC 16		
Colorfastness to Chlorinated pool water (if applicable)	AATCC 162		
Dimensional Stability	AATCC 135/150		
Dimensional Stability - Growth	AATCC 135/150		
Skewness Change	AATCC 179		
After Wash Retention and Durability	Visual Evaluation		
Seam Strength on woven fabrics	ASTM D1683		
Resistance to flexing / Hole strength (Belts only)	Manual Evaluation		
After Wash Fabric/Garment Appearance Retention and Dura- bility	Visual Evaluation		

UL'S EXPEDITED COMPLIANCE SERVICES FOOTWEAR



BASIC	OOTWEAR (PER STY	IF)		
Test Description	Method / Citation	Package Price USA	Package Price Asia	
Tier 1 - Regulatory - All		\$60	\$35	
Labeling:				
Uniform Packaging and Labeling Regulations	UPLR			
Country of Origin	19 CFR 134			
Real fur / Faux Fur	16 CFR 301, 16 CFR 303			
Leather & Imitation Leather identification	15 USC & 16 CFR 24			
Wool Products identification	15 USC & 16 CFR 300			
Labeled Claims	Verification			
Regulatory - Children's (Include all requirements above)		\$175	\$105	
Tracking Label	CPSIA Sec.103			
Small Parts	16 CFR 1501			
Sharp Points / Sharp Edges	16 CFR 1500.48 & 49			
Formaldehyde in Textile Footwear Lining	ISO 14184-1 / JIS 1041L			
Total Lead in Substrates	16 CFR 1500.87 - 91, CPSIA Sec. 101			
Total Lead in Surface Coatings	16 CFR 1303			
Tier 2 - Quality & Performance (Includes regulatory require- ments)		\$375 Adult, \$475 Chil- dren's	\$225 Adult, \$285 Chil- dren's	
Finish / Workmanship	Visual			
Material	Visual			
Construction	Visual			
Flexing Resistance	SATRA TM92			
Adhesion Strength (upper to outsole)	3-40SOP			
Attachment Strength - Decorative Components	3-24SOP			
Attachment Strength - Functional Components (i.e. gores, tongues, straps, eyelets, etc.)	Various SATRA Methods			
Outsole Hardness	ASTM D2240			
Outsole Abrasion Resistance	ASTM D1630			
Outsole Oil Resistance	ASTM D471			
Outsole Marking Resistance	3-20SOP			
Seam Strength - Uppers	BS 4131 §5.13			
Anti-Yellowing - UV Light	3-25SOP			
Phenolic Yellowing (white color fabrics)	ISO 105-X18			
Washing - Staining / Color Change	AATCC - TS 007			
Colorfastness to Crocking	AATCC - 8			

UL'S EXPEDITED COMPLIANCE SERVICES HANDBAGS & BACKPACKS

0



HANDBAGS & BA	CKPACKS (1 MATERI/	AL / 1 COLOR	_ / 1 COLOR)	
est Description	Method / Citation	Package Price USA	Package Price Asia	
		\$125	\$75	
abeling:				
Country of Origin	16 CFR 134			
Declaration of Identity, Responsibility & Quantity (IRQ)	UPLR			
Real Fur / Faux Fur	16 CFR 301 & 303			
eather & Imitation Leather identification	16 CFR 24			
abeled Claims	Verification			
iber Content Analysis	AATCC 20 / 20A			
Regulatory - Children's (Includes all requirements above)		\$160	\$100	
Child Safety - Straps & Cords	ASTM F 963			
racking Label	CPSIA Sec.103			
Small Parts	16 CFR 1501			
Sharp Points / Sharp Edges	16 CFR 1500.48 & 49			
Total Lead in Substrates	16 CFR 1500.87 - 91, CPSIA Sec. 101			
Total Lead in Surface Coatings	16 CFR 1303			
ier 2 - Quality & Performance (Includes regulatory require- nents		\$250 Adult, \$320 Chil- dren's	\$150 Adult, \$200 Chil- dren's	
Naterial Qualities/Evenness of Color	ASTM D 3990 / Visual Evaluation			
Construction and Workmanship/Evenness of Color	Visual Evaluation			
Colorfastness to Home Laundering (if applicable)	AATCC 135/150			
Colorfastness to Crocking	AATCC 8, AATCC 116 (prints)			
Strength testing - Seams / Pull off & Force / Hook & Loop / Zipper	In-house			
.oad test	In-house			

UL'S EXPEDITED COMPLIANCE SERVICES



	VELRY (PER ITEM)		
Test Description	Method / Citation	Package Price USA	Package Price Asia
ier 1 - Regulatory - All		\$400	\$240
Surface Coating – Soluble Limit- Antimony, Arsenic, Barium, Chromium, Mercury, Selenium	ASTM F2923 and F2999		
Cadmium in Substrates	CT Public Act No. 10-113, MD. Code Ann., Envir. §§ 6-1401 to 6-1404		
admium in Surface Coatings	MD. Code Ann., Envir. §§ 6-1401 to 6-1404		
otal Lead in Substrates	16 CFR 1500.87-91, ASTM F2999		
otal Lead in Surface Coatings	16 CFR 1303, ASTM F2999		
abeling:			
lammability - Solids	16 CFR 1500.3, 16 CFR 1500.44		
Declaration of Identity, Responsibility & Quantity (IRQ)	UPLR		
Country of Origin	19 USC 1304		
leal Fur / Faux Fur	16 CFR 301 & 303		
eather & Imitation Leather identification	15 USC & 16 CFR 24		
extile Fiber & Wool Products identification	16 CFR 301 & 303		
Irganic Certification	7 CFR 205.100		
abeled Claims			
	Verification		
egulatory - Children's (includes all requirements above)			
racking Label	CPSIA Sec.103		
lazardous Magnets	ASTM F2923		
mall Parts	16 CFR 1501		
harp Points / Sharp Edges	16 CFR 1500.48 & 49		
Breakaway Features	ASTM F2923		
lickel Migration - Metallic Components in Direct and Pro- onged Contact with skin	ASTM F2923, EN 1811-11/ 12472-05		
lazardous Liquids or Gels (if applicable)	16 CFR 1500.231		
ead Content in electrical components (if applicable)	16 CFR 1500.88		
.ead - Illinois	410 ILCS 45		
Tier 2 - Quality & Performance (Includes regulatory require- ments)		\$650	\$390
inish / Workmanship	Visual		
Dimensions	Visual		
Aaterial	Visual		
Construction (type, attachment means, corrosion protection of netallic components)	Visual		
Practical Use	Visual		
Attachment & Closure Cycling / Pull Strength / Impact / Setting iecureness	Visual		
arnish Protection	Visual		
Colorfastness to Incidental Water Contact	Visual		
Colorfastness to Crocking			
	AATCC - 8		
	1		
	1		
	1	1	